

# SAFETY DATA SHEET

## 1. Product and Company Identification

<b>Product identifier</b>	Dust-Off Eco - 6 Dust and Lint Remover
<b>Other means of identification</b>	DPSGRN; DO12341
<b>Recommended use</b>	Dust removal
<b>Recommended restrictions</b>	None known.
<b>Manufacturer information</b>	Falcon Safety Products, Inc. 25 Imclone Drive Branchburg, NJ 08876 US Phone: 1-908-707-4900 Emergency Phone: 1-800-498-7192
<b>Supplier</b>	See above.

## 2. Hazards Identification

<b>Physical hazards</b>	Gases under pressure	Liquefied gas
<b>Health hazards</b>	Not classified.	
<b>Environmental hazards</b>	Not classified.	
<b>WHMIS 2015 defined hazards</b>	Not classified	
<b>Label elements</b>		



<b>Signal word</b>	Warning
<b>Hazard statement</b>	Contains gas under pressure; may explode if heated.
<b>Precautionary statement</b>	
<b>Prevention</b>	Observe good industrial hygiene practices.
<b>Response</b>	Wash hands after handling.
<b>Storage</b>	Protect from sunlight. Store in a well-ventilated place.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.
<b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>	None known
<b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b>	None known
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

## 3. Composition/Information on Ingredients

<b>Mixture</b>			
<b>Chemical name</b>	<b>Common name and synonyms</b>	<b>CAS number</b>	<b>%</b>
trans-1,3,3,3-tetrafluoroprop-1-ene		29118-24-9	100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First Aid Measures

<b>Inhalation</b>	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal.
<b>Skin contact</b>	In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Remove contaminated clothing. Treat for frostbite by gently warming affected area. Wash with soap and water. Obtain medical attention if irritation persists.

<b>Eye contact</b>	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
<b>Ingestion</b>	Not likely, due to the form of the product.
<b>Most important symptoms/effects, acute and delayed</b>	Contact with liquefied gas might cause frostbites, in some cases with tissue damage.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat frost-bitten areas as needed.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

---

### 5. Fire Fighting Measures

---

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Firefighters should wear full protective clothing including self-contained breathing apparatus.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out.
<b>Specific methods</b>	Cool containers exposed to flames with water until well after the fire is out.
<b>General fire hazards</b>	Contents under pressure. Pressurized container may explode when exposed to heat or flame.
<b>Hazardous combustion products</b>	May include and are not limited to: Hydrogen fluoride. Oxides of carbon.

---

### 6. Accidental Release Measures

---

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Isolate area until gas has dispersed. Stop the flow of material, if this is without risk. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

---

### 7. Handling and Storage

---

<b>Precautions for safe handling</b>	Use good industrial hygiene practices in handling this material. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid contact skin and eyes. Avoid breathing mist or vapor. Provide adequate ventilation. Wash thoroughly after handling. When using do not eat or drink.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store upright to prevent product leakage. Stored containers should be periodically checked for general condition and leakage. Keep out of reach of children.

---

### 8. Exposure Controls/Personal Protection

---

#### Occupational exposure limits

##### US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
trans-1,3,3,3-tetrafluoroprop-1-ene (CAS 29118-24-9)	TWA	800 ppm

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	See above

<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear protective gloves. Confirm with a reputable supplier first.
<b>Other</b>	Wear suitable protective clothing. As required by employer code.
<b>Respiratory protection</b>	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Use good industrial hygiene practices in handling this material. When using do not eat or drink.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Aerosol.
<b>Physical state</b>	Gas.
<b>Form</b>	Liquefied gas.
<b>Color</b>	Clear
<b>Odor</b>	Slight
<b>Odor threshold</b>	Not available.
<b>pH</b>	neutral
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	-2.2 °F (-19 °C)
<b>Pour point</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Flash point</b>	Does not flash
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	4192 hPa @20 °C
<b>Vapor density</b>	4 (air=1.0)
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	0.373 g/l
<b>Auto-ignition temperature</b>	694.4 °F (368 °C)
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	1.17 lb/gal
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
-------------------	---

<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Heat. Aerosol containers are unstable at temperatures above 49°C (120.2°F).
<b>Incompatible materials</b>	Alkaline metals. Do not mix with other chemicals.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon. Hydrogen fluoride. fluorocarbons

---

## 11. Toxicological Information

---

<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Expected to be a low ingestion hazard. May cause stomach distress, nausea or vomiting.
<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	Contact with liquefied gas might cause frostbites, in some cases with tissue damage.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	frostbite

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
trans-1,3,3,3-tetrafluoroprop-1-ene (CAS 29118-24-9)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Mouse	> 100000 ppm, 4 hours
	Rat	> 207000 ppm, 4 hours
<i>Oral</i>		
LD50	Not available	

**Skin corrosion/irritation** Contact with liquefied gas might cause frostbites, in some cases with tissue damage.

<b>Exposure minutes</b>	Not available.
<b>Erythema value</b>	Not available.
<b>Oedema value</b>	Not available.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

<b>Corneal opacity value</b>	Not available.
<b>Iris lesion value</b>	Not available.
<b>Conjunctival reddening value</b>	Not available.
<b>Conjunctival oedema value</b>	Not available.
<b>Recover days</b>	Not available.

#### Respiratory or skin sensitization

<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.

**Mutagenicity** Non-hazardous by WHMIS/OSHA criteria.

**Carcinogenicity** See below.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects. Non-hazardous by WHMIS/OSHA criteria.

**Teratogenicity** Not available.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

Aspiration hazard Not likely, due to the form of the product.

---

## 12. Ecological Information

---

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Mobility in general** Not available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

## 13. Disposal Considerations

---

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. Transport Information

---

**Transport of Dangerous Goods (TDG) Proof of Classification** In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

**General**

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

TDG: TDG Canada : Falcon Safety Products has been granted Equivalency Certificate SU 9211 (ren. 1) by TCSS, TDGD to offer for transport by road, rail and marine.

DOT: Falcon Safety Products has been granted a DOT special permit. A copy of DOT Special permit SP-11516 can be obtained by calling Falcon Safety Products, Inc. at 908-707-4900

**U.S. Department of Transportation (DOT)**

**Basic shipping requirements:**

**UN number** UN3163

**Proper shipping name** Liquefied gas, n.o.s.

**Technical name** trans-1,3,3,3-tetrafluoroprop-1-ene

**Hazard class** 2.2

**Special provisions** T50

**Packaging exceptions** 306

**Packaging non bulk** 304

**Packaging bulk** 314, 315

**Transportation of Dangerous Goods (TDG - Canada)**

**Basic shipping requirements:**

**UN number** UN1950

**Proper shipping name** AEROSOL

**Technical name**

**Hazard class** 2.2

**Special provisions** Limited Qty up to 1 L

---

## 15. Regulatory Information

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**WHMIS 2015 Exemptions** Not applicable

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - Yes  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations** See below

**US. Massachusetts RTK - Substance List**

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act**

Not regulated.

**US. Pennsylvania Worker and Community Right-to-Know Law**

Not listed.

**US. Rhode Island RTK**

Not regulated.

**US. California Proposition 65**

Not Listed.

**Inventory status**


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other Information**

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

<b>HEALTH</b>	/ 1
<b>FLAMMABILITY</b>	0
<b>PHYSICAL HAZARD</b>	1
<b>PERSONAL PROTECTION</b>	X



**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

January 19, 2021

**Version #**

02

**Effective date**

January 19, 2021

**Prepared by**

Dell Tech Laboratories Ltd. Phone: (519) 858-5021

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.